

SAVAGE OUTBACK N1300



SAVAGE OUTBACK N1300

FIREWALL FORWARD


Titan®, Fuel Injected, IO-340CC Engine, 180 hp
Catto composite Climb Propeller with metal leading edge
Dynamically Balanced Prop, backing plate, and Spinner
Spin-on oil filter
Vernatherm Oil bypass thermostat
Lycoming style oil cooler
60 Amp lightweight Alternator
Electronic Ignition system, with backup batteries
Lightweight Hartzell starter
Dual Opening left and right aluminum cowl doors
with hold-open latches for easy access.

FUEL SYSTEM

29 gallons useable fuel
Two 12.5-gallon wing tanks
5-gallon header/feed/return tank
Simple ON/Off ball type fuel selector valve
Gravity feed fuel system, no transfer pump
Dual fuel level sight gauges in wing roots
Garmin Fuel Flow/Monitor system
Fuel filter and low point fuel drain system
Engine Gascolator filter and drain
Dual 2-micron fuel filters
Engine driven fuel pump
Backup electric powered fuel pump



SAVAGE OUTBACK N1300



FULL GARMIN EFIS PANEL

Garmin 3GX Touch, 10.6" color glass screen
Garmin GSU25 AHARS
Garmin GMU22 magnetometer
Highway-in-the-sky heading, altitude, track display
Heading with alerts,
Attitude with alerts
Airspeed with alerts
HSI with course and track, nearest airfield
Electric trim display
Inclinometer and sky pointer
VVI with alerts
Full Engine Management System
OT, OP, FF, FP, RPM, MP, V, Amp
4 EGT display, with highest noted
Pilot alerts for EGT status
4 CHT display, with highest noted
Pilot alerts for CHT status
Engine % power setting display
O2 feed back sensor in exhaust system
for perfect fuel monitoring and power settings
Protected by a dual battery system
2.25" backup Airspeed indicator
2.25" backup Altimeter
Hour meter
Low voltage warning light
EFIS engine warning light
406mh ELT

Garmin GTR20 remote VHF .25x com radio
with monitor and flip-flop, internal voice activated intercom
VHF antenna
Garmin GTX45R remote XPDR transponder
with 1200 display and ADSB 2020 compliant
XPDR antenna

Garmin GPS20 ADSB in-out 2020 compliant
ADSB antenna
Dual electrical system with 16 resettable CBs
Trutrak full axis GEMINI Autopilot coupled to G3X
or stand alone with altitude hold,
climb/descend, track or heading
Blue Button straight/level AP activation

AIRFRAME

4130 Laser Cut Reinforced fuselage
X-brace torsion resistant cockpit design
Reinforced aluminum Dual Battery Box
Battery inspection door panel
60" Panoramic right door with window
60" Panoramic left "shooter" window
Full overhead skylight,
Aluminum cowling
Classic white & red paint scheme

LANDING GEAR

Rugged 3"x6" landing gear
Reinforced landing gear attachments
Triple leaf tailwheel spring
Bearing axles, wheels, dual brakes, & rotors
21 x 6 bush tires & tubes Matco 11" steerable bush tailwheel

SAVAGE OUTBACK N1300

Float attachments included

WINGS & TAIL

Super Cub type airfoil

Super Cub Style Wings

Vortex generators on wing and horizontal stab

Aluminum reinforced 3 position flaps

Aluminum ailerons

Gap seals on ailerons and horizontal tail controls

Aerodynamically balanced tail controls

Lifetime Dacron fabric covering

White interior with gray seating

FLIGHT CONTROLS & INTERIOR

Voice activated intercom

Dual front/rear control sticks

Dual front/rear throttles,

Dual front/rear brakes

Dual front/rear rudders

Front PTT, trim, autopilot disconnect

Tilting Seats

Dual Four Point Safety Harnesses

Traditional Plywood Floorboards

Large Baggage Area with cover

Left/Right Dual Air Vents

OPTIONS

FADEC Engine Controls

Left Side Shooter Window

(4) Air Vents, X-over Cabin Heat

SS Exhaust, Float Fittings

Reinforced Landing Gear

Beringer Wheels & Brakes

Bussmaster Electric System

SS Safety Cable

Full Lighting Package, Night VFR

AeroFab Shock System

Removable Copilot Stick

12V Power Socket, Fire Ext.

Electric Jack Screw for Trim

Fabric Zippered Baggage Area



*Call us today for more information on N1300
and the other exciting aircraft we have to offer!*

\$186,600

SAVAGE OUTBACK N1300



SAVAGE OUTBACK N1300



SAVAGE OUTBACK N1300



SAVAGE OUTBACK N1300

